

SAFETY DATA SHEET

AS EC REGULATION 1272/2008(CLP)

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING

PRODUCT NAME: DRYWITE PIONEER POTATO PREPARATION

PRODUCT CODES: DWPP-25

APPLICATION OF PRODUCT: FOR USE IN THE FOOD INDUSTRY

CHEMICAL PRODUCT: A GMO FREE BLEND OF SULPHITES WITH ANTI CAKING

AND FLOW AGENTS

COMPANY: DRYWITE LIMITED

THE HOUSE OF LEE 23 PARK LANE HALESOWEN WEST MIDLANDS

B63 2RA

TELEPHONE NO: +44(0)1384 569556

FAX NO: +44(0)1384 410583

EMERGENCY TELEPHONE NO: +44(0)1384 569556

(OFFICE HOURS)

2. HAZARD IDENTIFICATION

Pictogram





Wording Danger

Hazard Statements H302

H318

Precautionary Statements P264

P270 P280

P301 + P312 + P330

P305 + P351 + P338 + P310

Special EU Provision EUH031

Physical and chemical hazards, fire and

explosion

Non flammable product. In case of nearby fire it can release sulphur dioxide gas. See Section 5.

3. COMPOSITION/INFORMATION ON INGREDIENTS		
Blend of CAS No.	7681-57-4	7757-83-7
EINECS No.	231-673-0	231-821-4
E No.	223	221
4. FIRST AID MEASURES	1	
Description of First Aid Measures	+	
Inhalation	Move patient to fresh air, rinse nose and mouth with water. Keep warm and at rest. Seek medical advice/attention if discomfort continues.	
Ingestion	Seek medical examination immediate Data Sheet. Give nothing to eat	
Eye Contact	Rinse thoroughly with eye lids open for sufficient length of time. Remove contact lenses if present and easy to do so. Then consult an ophthalmologist immediately.	
Skin Contact	Wash off immediately with plenty Seek medical advice/attention if	
5. FIRE FIGHTING MEASURES		
Extinguishing Media	Non flammable product in case of carbon dioxide. Contaminated waccording to current local regular	ater must be disposed of
Fire Hazard	Thermal decomposition will prod	luce sulphur dioxide vapours
Protection Measure	Wear self contained breathing approtective clothing. Fire residue to be disposed of in accordance with	and extinguishing media must
6. ACCIDENTAL RELEASE MEASURES		
Personal Precautions	Wear suitable protective clothing suitable for size of spillage, see	
Environmental Precautions	Do not allow to enter in soil/suband ground water.	soil, drains, sewers or surface
Recovery	Sweep up or vacuum spillage, co disposal. Avoid generating dust. lime to neutralise the area.	
Additional Information	See Sections 8 and 13.	
7. HANDLING AND STORAGE		
Handling	Avoid contact with skin or eyes. atmosphere. Avoid dust formation	

not eat, drink or smoke when handling.

Storage Store in tightly closed original containers in a cool, dry well

ventilated place.

Incompatible Material Strong oxidising substances and acids corrosive to steel,

galvanised metal, aluminium and copper.

Conditions to Avoid Dampness

Packed for sale in Outer, tamper evident white plastic tub with plastic handle and

red lid. Inner blue sealed poly liner size 25kg, 24kg in 12 x 2kg. Also, 125g and 200g in blue plastic bags or 60 x 420g in

blue plastic bags.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Occupational Exposure Limits

| TLVTWA 5mg/m³ | TLVTWA 2ppm (SO₂)

Exposure Controls







Eye Protection Suitable close fitting goggles

Skin Protection Suitable protective clothing

Hand Protection Suitable gloves e.g. PVC, Neoprene or rubber.

Respiratory Protection Not needed for normal use, if insufficient ventilation use

suitable protective respiratory equipment. e.g. CEN/FFP-2(S)

or CEN/FFP-3(S)

Hygiene Measures

Do not eat, drink or smoke when using. Wash at end of each shift. Wash promptly if skin becomes contaminated. Remove

contaminated clothing for washing before re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Crystalline Powder

Colour White

Odour Slight Sulphur Dioxide Odour

PH Approximately 3.5 – 5.0 (5% solution)

Thermal Decomposition Starts at approximately 150°C

Density 1000 – 1200 kg/m³

Soluble in water

10. STABILITY AND REACTIVITY

Stability Stable under normal temperatures and prescribed storage

conditions

Incompatible Material Acids, Oxidants, Metals, Carbon Steel, Galvanised Steel,

	Copper, Brass and Aluminium	
Condition to Avoid	Dampness	
Hazardous Decomposition	Toxic Gas – Sulphur Dioxide	
Tiazaradus Bassinipasiasii	Toxic Gas — Guiphui Dioxide	
11. TOXICOLOGICAL INFORMATION		
Acute Toxicity	Oral LD50(RAT)>1540mg/kg	
Inhalation Consequences	Irritation to principle respiratory tract	
Ingestion Consequences	Harmful	
Skin Local Effect	Non irritant – in extreme cases only allergic people may suffer irritation	
Eyes Local Effect	Irritation risk of serious damage to eyes	
12. ECOLOGICAL INFORMATION		
Toxicity	Discharges in large quantities into surface water can cause considerable oxygen reduction with negative consequences on living organisms. LC50 (fish) 96h 150-220mg/l EC50 (daphnia) 48h 89mg/l EC50 (algae) 72h 48mg/l EC50 (bacteria) 17h 56mg/l COD 165mg/g (calculated)	
Mobility	The product is completely soluble in water	
Degradability	The product is biodegradable and is not expected to bioaccumulate.	
13. DISPOSAL CONSIDERATIONS		
Product	Inorganic product not to be disposed of through biological treatment systems. Product residues to be disposed of in accordance with the national and local environment regulations.	
Packaging	Empty packaging to be disposed of in accordance with national and local regulation.	
14. TRANSPORT INFORMATION		
General	Not required Not classified as dangerous in the meaning of transport regulations. Transport in a separate area to the driver, make sure the driver is aware of prospective risks.	
Land Transport (ADR/RID)	Not classified	
Sea Transport (IMDG)	Not classified	
Air Transport (ICAO/IATA)	Not classified	

15. REGULATORY INFORMATION

Labelling





Wording Danger

Classification Harmful if swallowed Causes serious eye
Acute toxicity damage

Category 4 1

Hazard Statements H302 H318

11310

Precautionary Statements P264
P270
P280

P301 + P312 +P330

P305 + P351 + P338 + P310

EU H031

Special EU Provision

Regulation

User to follow EU directives and national regulations

16. OTHER INFORMATION

Hazard Statements

H302

H318

Harmful if swallowed

Causes serious eye damage

Precautionary Statements

P264

Wash hands thoroughly after handling.

P270 Do not eat, drink or smoke when using this product

P280 Wear protective gloves, protective clothing, eye

protection/face protection

P301 + P312 + P330 **IF SWALLOWED** call a **POISON CENTER** or doctor/physician

if you feel unwell, rinse mouth

P305 +P351 + P338 + P310 **IF IN EYES** rinse cautiously with water for several minutes.

Remove contact lenses if present and easy to do. Continue

rinsing. Immediately call a POISON CENTER or

doctor/physician.

EU H031 Contact with acids liberates toxic gas

Toxic gas is heavier than air and accumulates in closed areas.

Uses Antimicrobial, antioxidant, preservative, for use on potato

products

Dosage Rate See label on container. If in doubt contact manufacturer s

technical sales on +44(0)1384 569556

Legislation	The use of this product complies with European Food Additives Directive (EU)1333/2008
DS No:	4A
Issue	2
Date	May 2017

To the best of our knowledge the information contained herein is accurate and given in good faith. However, the company accepts no liability for its accuracy or completeness of the information. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. The application and use of this product of suitability is entirely the responsibility of the user, including any declaration regarding residues if applicable. Any further information required must be obtained and confirmed in writing.